



Dolan Chemical Laboratory
4001 Bixby Road
Groveport, OH 43125
T: 614-836-4221, Audinet 210-4221
F: 614-836-4168, Audinet 210-4168
<http://aepenv/labs>

Water Analysis

Location: Mountaineer Plant

Report Date: 3/22/2012

Trip Blank

Sample Number: 121218-001 **Date Collected:** 03/14/2012 08:20 **Date Received:** 3/14/2012

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Mercury, Hg	< 0.5	ng/L	0.5	0.2	CHL	03/16/2012	EPA 1631E

Field Blank

Sample Number: 121218-002 **Date Collected:** 03/14/2012 08:20 **Date Received:** 3/14/2012

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Mercury, Hg	< 0.5	ng/L	0.5	0.2	CHL	03/16/2012	EPA 1631E

CPS Effluent

Sample Number: 121218-003 **Date Collected:** 03/14/2012 08:25 **Date Received:** 3/14/2012

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Mercury, Hg	77.2	ng/L	10	5	CHL	03/16/2012	EPA 1631E

Bioreactor Effluent

Sample Number: 121218-004 **Date Collected:** 03/14/2012 08:30 **Date Received:** 3/14/2012

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Mercury, Hg	11.0	ng/L	5	2	CHL	03/16/2012	EPA 1631E

Plant Outfall #001

Sample Number: 121218-005 **Date Collected:** 03/14/2012 08:20 **Date Received:** 3/14/2012

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Mercury, Hg	3.6	ng/L	0.5	0.2	CHL	03/16/2012	EPA 1631E

Brian Snyder, Chemist II

Email bssnyder@aep.com

Tel. 614-836-4224

Fax 614-836-4168

Audinet 210-4224

THIS TEST REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT WRITTEN APPROVAL OF THE LABORATORY. ALL TEST RESULTS MEET ALL OF THE REQUIREMENTS OF THE ACCREDITING AUTHORITY, UNLESS OTHERWISE NOTED.